

DRAWING 1  
SENSITIVITY OF THE HUMAN EYE  
3/15/01, B.L.




FIG. 1



	Material	Thickness (nm)		
	Si	6.00	NB2O5	26.48
	SiO <sub>2</sub>	3.30	NB2O5	97.79
5	NB <sub>2</sub> O <sub>5</sub>	3.30	SIO22	97.79
	NB <sub>2</sub> O <sub>5</sub>	50.34	SIO22	100.00
	SiO <sub>2</sub>	50.34	5 NB2O5	100.00
	SiO <sub>2</sub>	100.00	NB2O5	6.01
	NB <sub>2</sub> O <sub>5</sub>	100.00	SIO22	6.01
10	NB <sub>2</sub> O <sub>5</sub>	59.38	SIO22	35.12
	SiO <sub>2</sub>	59.39	NB2O5	35.12
	SiO <sub>2</sub>	100.00	10 NB2O5	28.25
	NB <sub>2</sub> O <sub>5</sub>	100.00	SIO2	28.25
	NB <sub>2</sub> O <sub>5</sub>	15.15	SIO2	19.65
15	SiO <sub>2</sub>	15.15	NB2O5	19.65
	SiO <sub>2</sub>	99.45	NB2O5	30.09
	NB <sub>2</sub> O <sub>5</sub>	99.45	15 SIO2	30.09
	NB <sub>2</sub> O <sub>5</sub>	43.95	SIO2	4.27
	SiO <sub>2</sub>	43.95	NB2O5	4.27
20	SiO <sub>2</sub>	48.60	NB2O5	21.91
	NB <sub>2</sub> O <sub>5</sub>	48.60	SIO2	21.91
	NB <sub>2</sub> O <sub>5</sub>	55.28	20	
	SiO <sub>2</sub>	55.28		
	SiO <sub>2</sub>	70.29		
25	NB <sub>2</sub> O <sub>5</sub>	70.29		
	NB <sub>2</sub> O <sub>5</sub>	78.38		
	SiO <sub>2</sub>	78.38	25	
	SIO22	23.91		
	NB2O5	23.91		
30	NB2O5	100.00		
	SIO22	100.00		
	SIO22	26.48		

FIG. 2



Appln No.: 10/028,063  
Applicant(s): Barret Lippey, et al.  
SELECTIVE REFLECTING

Page 3 of 12




FIG. 3



DRAWING 4  
EFFECT OF ANGLE ON MULTILAYER COATING  
3/14/01, B.L.






FIG. 4



DRAWING 5  
LAYOUT OF ASYMMETRIC MICROLENSES  
9/21/00, B.L.



Front View of Entire Screen  
**FIG. 5B**



Side View of One Lens Set  
**FIG. 5A**



DRAWING 6  
EXAMPLE OF DYE SPECTRUM  
9/21/00, M.K.

Spectral Radiance Peak @ 684 nm




FIG. 6



DRAWING 7  
MINIMAL RISK CONSTRUCTION  
3/15/01, B.L.




FIG. 7



DRAWING 8  
ADVANCED CONSTRUCTIONS  
5/31/01, B.L.




FIG. 8A

a. Front surface diffuser only




FIG. 8B

b. Front surface diffuser and immersed diffuser





DRAWING 9  
EXAMPLE SPECTRUM OF  
FILTERED PROJECTOR LIGHT  
10/19/00, B.L.




FIG. 9



DRAWING 10  
COLOR CHART  
10/19/00, B.L.




FIG. 10

DRAWING 11  
 IMPROVED COLOR PERFORMANCE  
 3/15/01, B.L.




FIG. 11

- 1= projector on white screen
- 2= filtered projector on white screen
- 3= filtered projector on new screen




FIG. 12